AquaSafe Alarm (Sump)

The AquaSafe Alarm is a warning system which alerts the end user when there is:

- A power failure to the AquaSafe Alarm
- A high level situation in the chamber/sump
- A high level situation recorded
- A service due

There is a battery incorporated within the panel to power the alarm in case of mains power failure.

The system activates via a sump float switch (mini float version available), which is located inside the chamber/sump. It should be set to activate higher than the activation point of the primary pump.



KEY FEATURES

- Three volt-free contacts for connection to external systems.
- Can be retrofitted.
- An internal battery powers the alarm for 24 hours in the event of mains failure.
- Float switch can be set to Normally Closed (NC) or Normally Open (NO).
- Conforms to Low Voltage Directive, EN61010:2010 and EMC Directives EN55014:2006, A1 and EN55014-2:2015.

VOLT-FREE CONTACTS

The AguaSafe Alarm features three volt-free for connecting to remote telemetry or a building management systems. They can be set to Normally Open or Normally Closed depending on external system requirements.

- · High level volt free contact
- · Power fail volt free contact
- Service due volt free contact

TECHNICAL DATA

Power supply	230 V AC 50 Hz	
Rated power	<10 VA	
Internal battery	6 V, 1.3 Ah	
Sound alarm level	85 dB	
Mains power cable length	1 m	
Weight	0.5 kg	
Material	ABS	
Colour	Grey	
Operating temperature	-10°C to +40°C	

WASTE TYPE













RECOMMENDED ACCESSORIES






All our products can be customised to your requirements. For more information and advice please call our Sales Team on 01442 211554.



AquaSafe Alarm (Sump)

TYPICAL INSTALLATION

SumpFlush 650 Twin with AquaSafe Alarm



Breaker specification

Ref	Description	Breaker type	Rating
Α	AquaSafe Alarm	MCB	6 A
В	EA31 pump / EA33 pump	RCBO, Type-C	6 A / 10A
C	EA31 pump / EA33 pump	RCBO, Type-C	6 A / 10A





DELIVERING PUMPED AND DRAINAGE SOLUTIONS FOR OVER 30 YEARS

Packaged pumping stations

Waste water pumping systems

Macerators and macerating toilets

Floor mounted pumping stations

Fat, oil and grease separating systems

Rainwater harvesting systems

Battery backup systems

Adoptable pumping stations

Submersible pumps

Accessories



We provide pumped and drainage products and services to the public and private sectors including residential, commercial, hospitality and retail. We are proud of the long-term relationships we have built with clients and partners, delivering cost effective, robust and dependable products and services.

PROJECT SERVICES

- Project design
- Site surveys
- Installations
- Refurbishments

AFTERSALES SERVICES

- Planned servicing
- Emergency call outs
- Commissioning
- Monitoring

DRAINAGE SERVICES

- Tankering
- Drain maintenance
- Surveys and investigations
- Repairs

12-MONTH GUARANTEE

Your products are protected by a 12-month guarantee. **Terms and Conditions** apply.

HOW TO ORDER

Order online at <u>www.edincare.com</u> Call Sales on 01442 211554 Email **sales@edincare.com**

www.edincare.com

- Discover our products and services
- Order products online
- Case studies and articles
- Brochures and technical documents

Protect your property with an Edincare Service Agreement

As with all pumped and drainage systems, regular maintenance is essential to ensure optimum performance and minimal downtime. Our Service Agreements comprises planned preventive maintenance visits at an agreed frequency, we also service other manufacturers' equipment regardless of type, make and age.

- ✓ Validates your building insurance
- Reduces the risk of failure
- ✓ Increases the life expectancy of your equipment
- ✓ Priority callouts and 24/7 out-of-hours service
- ✓ Reduced rates for emergency call outs
- ✓ Flexible payment options (Direct Debit)





+44 (0)1442 211554 info@edincare.com

www.edincare.com in edincarepumps

Unit 7, Heron Business Park, Eastman Way, Hemel Hempstead, Hertfordshire, HP2 7FW A Tricel Company www.tricel.ie















