

AquaSafe Alarm (Panel Only)

The AquaSafe Alarm is a warning system which alerts the end user when there is:

- A power failure to the AquaSafe Alarm
- A high level situation in the chamber/sump
- A high level situation recorded
- A service due

There is a battery incorporated within the panel to power the alarm in case of mains power failure.

The system activates via a mini float switch or sump float switch, which is located inside the chamber/sump. It should be set to activate higher than the activation point of the primary pump.



KEY FEATURES

- Three volt-free contacts for connection to external systems.
- Can be retrofitted.
- An internal battery powers the alarm for 24 hours in the event of mains failure.
- Float switch can be set to Normally Closed (NC) or Normally Open (NO).
- Conforms to Low Voltage Directive, EN61010:2010 and EMC Directives EN55014:2006, A1 and EN55014-2:2015.

VOLT-FREE CONTACTS

The AquaSafe Alarm features three volt-free for connecting to remote telemetry or a building management systems. They can be set to Normally Open or Normally Closed depending on external system requirements.

- High level volt free contact
- Power fail volt free contact
- Service due volt free contact

TECHNICAL DATA

Power supply	230 V AC 50 Hz
Rated power	<10 VA
Internal battery	6 V, 1.3 Ah
Sound alarm level	85 dB
Mains power cable length	1 m
Weight	0.5 kg
Material	ABS
Colour	Grey
Operating temperature	-10°C to +40°C

WASTE TYPE



Waste type suitability is subject to using an appropriate float. Mini float switches are not suitable for foul waste.



RECOMMENDED ACCESSORIES


6 V 1.3 Ah PS-612 battery for AquaSafe Alarm #10122	Mini float switch, 10 m cable #23035	Plastic bracket for Mini float switch bracket #10394	Sump float, 10 m cable #23000	Plastic counterweight for sump float #25022	2-hole plastic float bracket for sump float #24076
---	--	--	---	---	--

All our products can be customised to your requirements. For more information and advice please call our Sales Team on 01442 211554.

AquaSafe Alarm (Panel Only)

TYPICAL INSTALLATION

SumpFlush 650 Twin with AquaSafe Alarm



Breaker specification

Ref	Description	Breaker type	Rating
A	AquaSafe Alarm	MCB	6 A
B	EA31 pump / EA33 pump	RCBO, Type-C	6 A / 10A
C	EA31 pump / EA33 pump	RCBO, Type-C	6 A / 10A



Only power pumps, battery backup devices or AquaSafe Alarm via dedicated breakers. Never power them via a ring main or radial spur.

DELIVERING PUMPED AND DRAINAGE SOLUTIONS FOR OVER 30 YEARS

Packaged pumping stations

Waste water pumping systems

Macerators and macerating toilets

Floor mounted pumping stations

Fat, oil and grease separating systems

Rainwater harvesting systems

Battery backup systems

Adoptable pumping stations

Submersible pumps

Accessories



We provide pumped and drainage products and services to the public and private sectors including residential, commercial, hospitality and retail. We are proud of the long-term relationships we have built with clients and partners, delivering cost effective, robust and dependable products and services.

12-MONTH GUARANTEE

Your products are protected by a 12-month guarantee. [Terms and Conditions](#) apply.

HOW TO ORDER

Order online at www.edincare.com

Call Sales on 01442 211554

Email sales@edincare.com

PROJECT SERVICES

- Project design
- Site surveys
- Installations
- Refurbishments

AFTERSALES SERVICES

- Planned servicing
- Emergency call outs
- Commissioning
- Monitoring

DRAINAGE SERVICES

- Tankering
- Drain maintenance
- Surveys and investigations
- Repairs

www.edincare.com

- Discover our products and services
- Order products online
- Case studies and articles
- Brochures and technical documents

Protect your property with an Edincare Service Agreement

As with all pumped and drainage systems, regular maintenance is essential to ensure optimum performance and minimal downtime. Our Service Agreements comprises planned preventive maintenance visits at an agreed frequency, we also service other manufacturers' equipment regardless of type, make and age.

- ✓ Validates your building insurance
- ✓ Reduces the risk of failure
- ✓ Increases the life expectancy of your equipment
- ✓ Priority callouts and 24/7 out-of-hours service
- ✓ Reduced rates for emergency call outs
- ✓ Flexible payment options (Direct Debit)



+44 (0)1442 211554
info@edincare.com

www.edincare.com
[edincarepumps](http://edincarepumps.com)

Unit 7, Heron Business Park, Eastman Way,
Hemel Hempstead, Hertfordshire, HP2 7FW

A Tricel Company
www.tricel.ie



Our policy is one of continuous product improvement, we reserve the right to change specifications and prices without prior notice. All information is given in good faith. No responsibility can be accepted for errors, omissions or incorrect assumptions.
© 2025 Omni Pump International Ltd t/a Edincare Pumps & Edincare Drains.